EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	9539	electromagnet$2 with coil and (Al or aluminium) and (Cu or copper)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 10:10
L2	86	electromagnet$2 with coil with ((Al or aluminium) with (Cu or copper))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 10:12
L3	9	2 and brak$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 10:12
L4	0	coil and brake with electromagnet and coil and heat?exchang$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 10:32
L5	4	brake with resist$4 with coil and heat adj exchang$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 10:31
L6	86	electromagnet and coil and heat?exchang$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 10:32
L7	11	electromagnet and coil with heat?exchang$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 10:34
L8	86	electromagnet and coil and heat?exchang$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 10:44
L9	2457	electromagnet and coil and heat with (dissipat$3 or remov$3 or extract)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 10:47

EAST Search History

L10	555	electromagnet$2 and coil and heat with (dissipat$3 or remov$3 or extract) with electromagneti$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 10:48
L11	66	electromagnet$2 and coil and heat with (dissipat$3 or remov$3 or extract) with electromagneti$2 with (outer or outside or external)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 11:04
L12	504	electromagnet$2 and coil and cool$3 with electromagneti$2 with (outer or outside or external)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 11:05
L13	37	electromagnet$2 and coil and bobbin and cool$3 with electromagneti$2 with (outer or outside or external)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 11:05
L16	313	68/12.16,12.24.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 11:34
L17	45	16 and brak$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 11:35
L18	1053	8/158-159.ccls. and "68"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 11:36
L29	22051	"28" and (mold$3 mould$3) with insulat$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 14:52
L30	954	electromagnetic adj coil with bobbin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 14:52
L31	34	L30 and (mold$3 mould$3) with insulat$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 14:52

EAST Search History

S1	66	washing adj machine and brake with coil	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 15:52
S2	5	washing adj machine and brake with coil with bobbin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 14:16
S3	11	washing adj machine and brake with coil with terminal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 15:05
S4	106	brake with coil with terminal with bobbin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 15:07
S5	224	resist$4 with coil with terminal with bobbin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 15:43
S6	37	S5 and (Al or aluminium) and (Cu or copper)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 10:09
S7	0	different with resist$4 with coil with terminal with bobbin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 15:52
S8	16	different with resist$4 with coil and coil with terminal with bobbin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 15:44
S9	79	different with resist$4 with coil with terminal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 15:52
S10	0	washing adj machine and S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 15:52

S11	4	"318"/$.ccls. and S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 15:54
S12	1	S5 and (8/158-159.ccls. or "68"/$.ccls. or "318"/$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 16:50
S13	723	brake with resist$4 with coil	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 10:31
S14	71	S13 and (8/158-159.ccls. or "68"/$. ccls. or "318"/$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 16:01
S15	1873	(parallel with coil) and (8/158-159. ccls. or "68"/$.ccls. or "318"/$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 16:01
S16	61	(parallel with coil) and coil with bobbin and (8/158-159.ccls. or "68"/$.ccls. or "318"/$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 16:06
S17	1	S16 and coil with (differ$3 with resist$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 16:03
S18	37	(parallel with coil) and coil with bobbin and coil with (differ$3 with resist$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 16:41
S19	15	brake adj resistance with coil	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 16:49
S20	273	coil with bobbin with resistor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 16:49

EAST Search History

S21	112865	(8/158-159.ccls. or "68"/$.ccls. or "318"/$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 16:50
S22	65	S21 and coil adj bobbin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 16:52
S23	174	coil with bobbin and (resist$5 with brak$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 16:56
S24	87	coil with bobbin with (resist$5 with brak$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 17:02
S25	328	coil with (resist$5 with brak$3) with motor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 17:02
S26	8	S25 and coil with (resist$5 with differ$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 17:06
S27	62	coil and brake with electromagnet and coil with bobbin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 10:31
S28	954	electromagnetic adj coil with bobbin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 14:51
S29	24	(8/158-159.ccls. or "68"/$.ccls.) and coil with bobbin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 17:19
S30	83	electromagnetic adj coil with bobbin and (coil with bobbin with (known or common or conventional))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 17:30

S31	0	electromagnetic adj coil with bobbin with brake and (coil with bobbin with (known or common or conventional))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 17:30
S32	0	electromagnetic adj coil with bobbin with brak$3 and (coil with bobbin with (known or common or conventional))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 17:30
S33	4	electromagnetic adj coil with bobbin and (coil with bobbin with (known or common or conventional)) and electromagnetic with brak$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 17:30